

# MOFO Linux

Juliusz Chojenka, Paula Świerska, Wojciech Tejchman

Cracow University of Technology



25.10.2016 r

Główne cel:

- obchodzenie wszelkich cenzur nałożonych na internet,
- bezpieczne przeglądanie internetu,
- korzystanie z prawa do prywatności w sieci.


Posiada one zainstalowane oprogramowanie pozwalające na bezpieczne używanie internetu:


- Bitmask,
- OnionShare,
- Lantern,
- VeraCrypt,
- BleachBit,
- Open VPN.

Install (as superuser)

## Welcome

- English
- Español
- Esperanto
- Euskara
- Français
- Gaeilge
- Galego
- Hrvatski
- Íslenska
- Italiano
- Kurdi
- Latviski
- Lietuviškai
- Magyar
- Nederlands
- Norsk bokmål
- Norsk nynorsk
- Polski
- Português

 Try MOFO

 Install MOFO

You can try MOFO without making any changes to your computer, directly from this CD.

Or if you're ready, you can install MOFO alongside (or instead of) your current operating system. This shouldn't take too long.

You may wish to read the [release notes](#).

3 / 67

























# MOFO



pon paź 10 2016 17:14:01


Search applications


Filter results

 Bitmask	 Browser	 CJDNS / Hyperboria Controller	 Desktop Sharing	 DNSCrypt-Proxy Controller	 Empathy Internet Messaging
 FileZilla	 Firefox: MOFO Linux Intro	 Freenet Installer	 I2P Controller	 Jitsi	 Klient poczty Thunderbird
 Klient sieci BitTorrent Transmission	 Lantern	 OnionShare	 OpenVPN Controller	 Przeglądarka WWW Firefox	 Psiphon Controller
 Remmina Remote Desktop Client	 Ring	 SoftEther VPN Controller	 Tor Browser	 Tor Controller	 Tor Messenger


5 / 67


- aplikacja dostarczająca łatwą i zaszyfrowaną komunikację,
- oferuje przyjazny interfejs oraz automatyczną konfigurację,
- szyfrowanie danych odbywa się na urządzeniu, na którym jest zainstalowana przez co dostawca usług internetowych nie ma do nich dostępu,
- korzysta ona z protokołu SRP (Secure Remote Password protocol) dzięki czemu dostawca usług internetowych nie ma dostępu do haseł loginów.

















# Bitmask

The screenshot shows a Linux desktop environment with a dark theme and a starry night sky wallpaper. A vertical dock on the left contains various application icons. In the top right corner of the desktop, the system tray shows a green checkmark, a network icon, a volume icon, and the date and time: "pon paź 10 2016 18:51:14".

The Bitmask application window is open, displaying the following information:

- Window title: Bitmask
- Address bar: demo.bitmask.net
- User: test345123@demo.bitmask.net (with a Logout button)
- Routing status: Routing traffic through: demo.bitmask.net (with a Turn OFF button and a green checkmark)
- Traffic: 0.00 Kb (down) and 0.51 Kb (up)

The desktop also features a notification for "Zainstaluj MOFO Linux" with a mouse cursor icon.

- Pozwala w bezpieczny i anonimowy sposób dzielić się plikami dowolnych rozmiarów,
- działa w oparciu o przeglądarkę tor która musi cały czas być uruchomiona w tle.

MOFO Linux Desktop

OnionShare

Drag and drop files here

Add Files Add Folder Delete

Start Sharing


Stop sharing automatically

v0.9-ppa2

test.txt

pon paż 10 2016 18:20:17

15 / 67





- Pozwala na uzyskanie dostępu do zablokowanych stron internetowych,
- tworzy tunel pomiędzy serwerem a użytkownikiem który kontroluje zapytania i odpowiedzi przez co takie połączenie nie może zostać zakłócone.

Lantern - Mozilla Firefox


Lantern

127.0.0.1:16823

Search

Lantern

800.0 MB remaining of your free monthly data  
Upgrade to Pro for high-speed unlimited data



## Upgrade to Lantern Pro

Better than a VPN

**GET FREE PRO CREDITS** or **BUY PRO NOW**

- ✓ Faster Speed
- ✓ Unlimited Data
- ✓ More Blocking Resistance

Already have a Pro account? [Log in here](#)

Lantern 3.0.7 (20160714.225612)

Lantern is ON. You can access blocked sites.

18 / 67

Lantern - Mozilla Firefox

Lantern

127.0.0.1:16823

Search

800.0 MB remaining of your free monthly data

Authorize device for Pro

Get Mobile Versio

Language

Share

Settings

About


### Settings

- Run Lantern on System Start
- Proxy all traffic
- Securely report usage statistics to contribute to Lantern
- Manage system proxy

Lantern is ON. You can access blocked sites.

19 / 67

- Aplikacja wprowadza do systemu operacyjnego ulepszone algorytmy szyfrowania zabezpieczające przed atakami z użyciem brutalnej siły.



The screenshot shows a Linux desktop with a dark theme. The top panel displays system icons and the date/time: "pon paź 10 2016 19:07:06". A dock on the left contains various application icons, including a terminal, a file manager, and the VeraCrypt application icon. In the background, a window titled "Zainstaluj M Linux" is partially visible. The foreground window is the "VeraCrypt Volume Creation Wizard".

**VeraCrypt Volume Creation Wizard**

**Create an encrypted file container**  
Creates a virtual encrypted disk within a file. Recommended for inexperienced users.  
[More information](#)

**Create a volume within a partition/drive**  
Formats and encrypts a non-system partition, entire external or secondary drive, entire USB stick, etc.

Buttons: Help, < Prev, Next >, Cancel

Zainstaluj M  
Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

### Volume Size

MB

**Free space available: 613 MB**

Please specify the size of the container to create. Note that the minimum possible size of a volume is 292 KB.

Help < Prev Next > Cancel

23 / 67

Zainstaluj M Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

## Volume Type

**Standard VeraCrypt volume**

Select this option if you want to create a normal VeraCrypt volume.

**Hidden VeraCrypt volume**

It may happen that you are forced by somebody to reveal the password to an encrypted volume. There are many situations where you cannot refuse to reveal the password (for example, due to extortion). Using a so-called hidden volume allows you to solve such situations without revealing the password to your volume.

[More information about hidden volumes](#)

Help < Prev Next > Cancel

pon paź 10 2016 19:07:17



The screenshot shows a Linux desktop with a dark theme. The top panel displays system icons and the date/time: "pon paź 10 2016 19:07:49". A dock on the left contains various application icons, including the VeraCrypt logo. In the background, a window titled "Zainstaluj M Linux" is partially visible. The foreground window is titled "VeraCrypt Volume Creation Wizard" and is currently on the "Volume Location" step. The window contains a graphic of a circuit board with a highlighted square, the VeraCrypt logo, and the following text:


**Volume Location**

Never save history

A VeraCrypt volume can reside in a file (called VeraCrypt container), which can reside on a hard disk, on a USB flash drive, etc. A VeraCrypt container is just like any normal file (it can be, for example, moved or deleted as any normal file). Click 'Select File' to choose a filename for the container and to select the location where you wish the container to be created.

**WARNING:** If you select an existing file, VeraCrypt will NOT encrypt it; the file will be deleted and replaced with the newly created VeraCrypt container. You will be able to encrypt existing files (later on) by moving them to the VeraCrypt container that you are about to create now.

At the bottom of the wizard are four buttons: "Help", "< Prev", "Next >", and "Cancel".



The screenshot shows the VeraCrypt Volume Creation Wizard window. The title bar reads "VeraCrypt Volume Creation Wizard". On the left, there is a vertical sidebar with various system icons. The main window is titled "Encryption Options".

**Encryption Algorithm**

AES Test


FIPS-approved cipher (Rijndael, published in 1998) that may be used by U.S. government departments and agencies to protect classified information up to the Top Secret level. 256-bit key, 128-bit block, 14 rounds (AES-256). Mode of operation is XTS.

[More information on AES](#) Benchmark

**Hash Algorithm**

SHA-512 [Information on hash algorithms](#)

Help < Prev Next > Cancel



The screenshot shows the VeraCrypt Volume Creation Wizard in a Linux desktop environment. The window title is "VeraCrypt Volume Creation Wizard". It features a "Volume Password" section with two password input fields, both containing "\*\*\*\*\*". A "Keyfiles..." button is visible to the right. A warning dialog box is overlaid on the wizard, titled "VeraCrypt". The dialog contains a red warning icon and the following text: "WARNING: Short passwords are easy to crack using brute force techniques! We recommend choosing a password consisting of 20 or more characters. Are you sure you want to use a short password?". Below the text are "No" and "Yes" buttons. The "Yes" button is highlighted with a mouse cursor. At the bottom of the wizard, there are "Help", "< Prev", "Next >", and "Cancel" buttons. The desktop background is a dark, starry space scene. The system tray at the top right shows the date and time: "pon paź 10 2016 19:09:39".

Zainstaluj M Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

### Format Options

Filesystem Options

Filesystem type: **NTFS**

Volume Format Options

Quick format

In order to enable your operating system to mount your new volume, it has to be formatted with a filesystem. Please select a filesystem type.

If your volume is going to be hosted on a device or partition, you can use 'Quick format' to skip encryption of free space of the volume.

Help   < Prev   Next >   Cancel

29 / 67

Zainstaluj M Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

### Cross-Platform Support

- I will mount the volume on other platforms**  
Choose this option if you need to use the volume on other platforms.
- I will mount the volume only on Linux**  
Choose this option if you do not need to use the volume on other platforms.

Help < Prev **Next >** Cancel

30 / 67

The screenshot shows the VeraCrypt Volume Creation Wizard in a Linux desktop environment. The window title is "VeraCrypt Volume Creation Wizard" and the current step is "Volume Format".

**Volume Format**

Random Pool: \*\*\*\*\*  Show  
Header Key:  
Master Key:

Randomness Collected From Mouse Movements

Progress bar: 0%

Done  Speed  Left

Abort

**IMPORTANT:** Move your mouse as randomly as possible within this window. The longer you move it, the better. This significantly increases the cryptographic strength of the encryption keys. Then click Format to create the volume.

Buttons: Help, < Prev, Format, Cancel

The screenshot shows a Linux desktop environment with a dark theme. The system tray at the top right displays the date and time: "pon paź 10 2016 19:10:56". The desktop background is a starry night sky. On the left side, there is a vertical dock with various application icons, including a terminal, a file manager, and the VeraCrypt application icon. In the center, a window titled "Zainstaluj M Linux" is partially visible behind the main application window. The main window is titled "VeraCrypt Volume Creation Wizard" and is currently on the "Volume Format" step. The window contains the VeraCrypt logo on the left and the following fields and controls on the right: "Random Pool: 86AB9E8625A00537D9BEA1CFC3 . ." with a checked "Show" checkbox; "Header Key:" and "Master Key:" labels; a "Randomness Collected From Mouse Movements" section with an orange progress bar and a mouse cursor hovering over it; an "Abort" button; "Done", "Speed", and "Left" labels with corresponding input fields; and a large "IMPORTANT:" warning text at the bottom: "IMPORTANT: Move your mouse as randomly as possible within this window. The longer you move it, the better. This significantly increases the cryptographic strength of the encryption keys. Then click Format to create the volume." At the very bottom of the window, there are four buttons: "Help", "< Prev", "Format" (highlighted in orange), and "Cancel".

Zainstaluj M Linux

VeraCrypt Volume Creation Wizard

### Volume Format

Random Pool: 86AB9E8625A00537D9BEA1CFC3 . .  Show

Header Key:

Master Key:

Randomness Collected From Mouse Movements

Abort

Done  Speed  Left

**IMPORTANT:** Move your mouse as randomly as possible within this window. The longer you move it, the better. This significantly increases the cryptographic strength of the encryption keys. Then click Format to create the volume.

Help < Prev Format Cancel



Zainstaluj M Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

### Volume Format

Random Pool: 5491E3F3B337F3537E887EDEC3 . .  Show  
Header Key:  
Master Key:

**VeraCrypt**  
Please wait...  
This process may take a long time and VeraCrypt may seem unresponsive.

Done  Speed  Left

**VeraCrypt**

**IMPORTANT:** Move your mouse as randomly as possible within this window. The longer you move it, the better. This significantly increases the cryptographic strength of the encryption keys. Then click Format to create the volume.

Help < Prev Format Cancel

pon paź 10 2016 19:11:10

33 / 67

The screenshot shows the VeraCrypt Volume Creation Wizard in the 'Volume Format' step. The window title is 'VeraCrypt Volume Creation Wizard'. The main content area displays the following information:

- Random Pool: F4FB161CC20DE93EFB88F91DAB . .  Show
- Header Key: 697E96A824D7DAC8CFA37501F7 . .
- Master Key: 5EFCDB8A456DC7CC41C7E3CA4 . .

Below this information, it says 'Randomness Collected From Mouse Movements'. A progress bar is visible, and the text 'Left 0s' is shown. At the bottom of the wizard, there are buttons for 'Help', '< Prev', 'Format', and 'Cancel'.

A smaller dialog box titled 'VeraCrypt' is overlaid on the wizard, containing an information icon and the text: 'The VeraCrypt volume has been successfully created.' with an 'OK' button.

At the bottom right of the screen, there are navigation icons and the page number '34 / 67'.

The screenshot shows a Linux desktop environment with a dark theme. The top panel displays system icons and the date/time: "pon paź 10 2016 19:11:37". The left sidebar contains various application icons, including the VeraCrypt logo. In the background, a window titled "Zainstaluj M Linux" is partially visible. The foreground window is titled "VeraCrypt Volume Creation Wizard" and displays the "Volume Created" screen. The screen features a graphic of a circuit board with a highlighted square, the VeraCrypt logo, and the following text: "Volume Created", "The VeraCrypt volume has been created and is ready for use. If you wish to create another VeraCrypt volume, click Next. Otherwise, click Exit." At the bottom of the window, there are four buttons: "Help", "< Prev", "Next >" (highlighted in orange), and "Exit".

Zainstaluj M Linux

VeraCrypt

VeraCrypt Volume Creation Wizard

## Volume Created

The VeraCrypt volume has been created and is ready for use. If you wish to create another VeraCrypt volume, click Next. Otherwise, click Exit.

Help < Prev Next > Exit

The screenshot shows a Linux desktop environment with a dark theme. The top panel displays system icons and the date/time: "pon paź 10 2016 19:11:51". A dock on the left contains various application icons, including the VeraCrypt logo. In the background, a window titled "Zainstaluj M Linux" is partially visible. The foreground window is titled "VeraCrypt Volume Creation Wizard".

**VeraCrypt Volume Creation Wizard**

**VeraCrypt Volume Creation Wizard**

- Create an encrypted file container**  
Creates a virtual encrypted disk within a file. Recommended for inexperienced users.  
[More information](#)
- Create a volume within a partition/drive**  
Formats and encrypts a non-system partition, entire external or secondary drive, entire USB stick, etc.

Buttons: Help, < Prev, Next >, Cancel

Zainstaluj M Linux

VeraCrypt


VeraCrypt Volume Creation Wizard


## Volume Type


- Standard VeraCrypt volume**  
Select this option if you want to create a normal VeraCrypt volume.
- Hidden VeraCrypt volume**  
It may happen that you are forced by somebody to reveal the password to an encrypted volume. There are many situations where you cannot refuse to reveal the password (for example, due to extortion). Using a so-called hidden volume allows you to solve such situations without revealing the password to your volume.  
[More information about hidden volumes](#)

Help < Prev **Next >** Cancel

37 / 67









- Uwalnia przestrzeń dyskową
- Czyści pamięć cache, usuwa pliki cookie i historię przeglądania
- „Szatkuje” pliki tymczasowe i logi systemowe
- Czyści programy takie jak: Firefox, Internet Explorer, Adobe Flash, Google Chrome, Opera, Safari i więcej
- Według Trey Gowdy usuwa prywatne pliki tak dobrze, że ”even God can’t read them”
- Pozbawiony oprogramowania szpiegowskiego i dodatków do przeglądarek
- Przeznaczony na platformy Linux i Windows
- Przetłumaczony na 64 języki w tym Polski

pon paź 10 2016 19:16:41

Za **BleachBit**

Podgląd Wyczyść

Nazwa	Aktywny	Rozmiar	Wykonano.
APT	<input checked="" type="checkbox"/>		Usuń historię używania 0 /home/mofo/.mozilla/firefox/7dd0w2o7.default/places.sqlite
autoclean	<input checked="" type="checkbox"/>		Usuń 196,6kB /home/mofo/.mozilla/firefox/7dd0w2o7.default/formhistory.sqlite
autoremove	<input checked="" type="checkbox"/>		Kompaktowanie bazy danych 0 /home/mofo/.mozilla/firefox/7dd0w2o7.default/webappsstore.sqlite
clean	<input checked="" type="checkbox"/>		Kompaktowanie bazy danych 9,3MB /home/mofo/.mozilla/firefox/7dd0w2o7.default/places.sqlite
Listy pakietów	<input checked="" type="checkbox"/>		Kompaktowanie bazy danych 0 /home/mofo/.mozilla/firefox/7dd0w2o7.default/places.sqlite
Bash	<input checked="" type="checkbox"/>	4,1kB	Kompaktowanie bazy danych 0 /home/mofo/.mozilla/firefox/7dd0w2o7.default/permissions.sqlite
Historia	<input checked="" type="checkbox"/>	4,1kB	Kompaktowanie bazy danych 393,2kB /home/mofo/.mozilla/firefox/7dd0w2o7.default/cookies.sqlite
Evolution	<input type="checkbox"/>		Kompaktowanie bazy danych 0 /home/mofo/.mozilla/firefox/7dd0w2o7.default/content-prefs.sqlite
Pamięć podręczna	<input type="checkbox"/>		Kompaktowanie bazy danych 4,1kB /home/mofo/.mozilla/firefox/7dd0w2o7.default/bookmarkbackups/bookmarks-2016-04-08_17_HtivFp3YKw7b5LetPFxoyw-
Firefox	<input checked="" type="checkbox"/>	16MB	Usuń 98,3kB /home/mofo/.mozilla/firefox/7dd0w2o7.default/webappsstore.sqlite
Hasła	<input checked="" type="checkbox"/>		Usuń 258kB /home/mofo/.cache/mozilla/firefox/7dd0w2o7.default/safebrowsing/goog-unwanted-shavar.pset
Historia adresów URL	<input checked="" type="checkbox"/>	196,6kB	Usuń 4,1kB /home/mofo/.cache/mozilla/firefox/7dd0w2o7.default/safebrowsing/goog-unwanted-shavar.cache
Historia formularzy	<input checked="" type="checkbox"/>		Usuń 208,9kB /home/mofo/.cache/mozilla/firefox/7dd0w2o7.default/safebrowsing/goog-unwanted-shavar.sbstore
Historia pobierania	<input checked="" type="checkbox"/>		
Kompaktowanie bazy danych	<input checked="" type="checkbox"/>	9,7MB	
Kopia zapasowa plików	<input checked="" type="checkbox"/>	4,1kB	
Magazyn DOM	<input checked="" type="checkbox"/>	98,3kB	
Pamięć podręczna	<input checked="" type="checkbox"/>	4MB	
Pliki ciasteczek	<input checked="" type="checkbox"/>	131,1kB	
Preferencje strony	<input checked="" type="checkbox"/>	229,4kB	
Przywrócenie sesji	<input checked="" type="checkbox"/>		
Raporty o awariach	<input checked="" type="checkbox"/>	1,7MB	
...	<input type="checkbox"/>	16MB	

16MB

42 / 67


pon paź 10 2016 19:17:30

Za **BleachBit**


Podgląd Wyczyść


Nazwa	Aktywny	Rozmiar	Wykonano.
Preferencje strony	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/compizconfig-1
Przywrócenie sesji	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/upstart
Raporty o awariach	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/wallpaper
▼ Głębokie skanowanie	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/ibus
.DS_Store	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/fontconfig
Kopia zapasowa plików	<input checked="" type="checkbox"/>		Usuń 0 /home/mofo/.cache/dconf
Pliki tymczasowe	<input checked="" type="checkbox"/>		Usuń 16,4kB /home/mofo/.cache/event-sound-cache.tdb.7f829b22dfd84c92be21e67de92004d1.x86_64.pc-linux-gnu
Thumbs.db	<input checked="" type="checkbox"/>		Usuń 0 /tmp/.veracrypt_aux_mnt1/volume
▼ System	<input checked="" type="checkbox"/>	51,8MB	Usuń 0 /tmp/.veracrypt_aux_mnt1/control
Kosz	<input checked="" type="checkbox"/>		Usuń 4,1kB /tmp/sni-qt_python2.7_5400-pvPEy8/icons/hicolor/22x22/apps/python2.7_5400_a760b7821ee8514c38f2bc945ae27eb1
Lista ostatnio używanych dokumentów	<input checked="" type="checkbox"/>	4,1kB	Usuń 4,1kB /tmp/sni-qt_python2.7_5400-pvPEy8/icons/hicolor/22x22/apps/python2.7_5400_5f5b9dbf63df002802f3262110e8ec0c
Lokalizacje językowe	<input checked="" type="checkbox"/>	50,5MB	Usuń 4,1kB /tmp/sni-qt_python2.7_5400-pvPEy8/icons/hicolor/22x22/apps/python2.7_5400_3bae78a2f435ac0f179e935284f5210a
Niestandardowe	<input checked="" type="checkbox"/>		Usuń 0 /tmp/unity_support_test.1
Obrócone dzienniki	<input checked="" type="checkbox"/>	77,8kB	Usuń 0 /tmp/config-err-Xpb5EI
Pamięć	<input checked="" type="checkbox"/>		Schówek ?B
Pamięć podręczna	<input checked="" type="checkbox"/>	1,2MB	Pamięć ?B
Pliki tymczasowe	<input checked="" type="checkbox"/>	12,3kB	Nadpisz wolną przestrzeń dysku /home/mofo/.cache ?B
Schówek	<input checked="" type="checkbox"/>		
Uwolnij przestrzeń dysku	<input checked="" type="checkbox"/>		
Wadliwe pliki .desktop	<input checked="" type="checkbox"/>		
▼ X11	<input type="checkbox"/>		Przestrzeń dysku do odzyskania: 51,8MB
Dzienniki debugowania	<input type="checkbox"/>		Pliki do usunięcia: 52062
16MB			Specialne operacje: 8

Jest protokołem komunikacji i wymiany informacji pomiędzy komputerami. W założeniu ma być prosty do skonfigurowania i ma zapewniać wszechobecną ochronę. Opiera się o szyfrowaną sieć IPv6 używając asymetrycznej kryptografii. Ten sposób szyfrowania wiadomości umożliwia przesyłanie wiadomości które mogą zostać odszyfrowane tylko z użyciem „prywatnego klucza” znanego jedynie nadawcy. Dla ułatwienia komunikacji „prywatne klucze” można łączyć z „publicznymi kluczami” dzięki czemu nadawca i odbiorca zachowują swoje „prywatne klucze” tylko dla siebie.




Jest platformą peer-to-peer która zapewnia anonimowość podczas komunikacji i udostępniania informacji w sieci. Posiada ona wbudowane narzędzia do ukrywania tożsamości użytkownika, niektóre strony internetowe są dostępne tylko za pośrednictwem tej platformy co umożliwia swobodną wymianę plików oraz prywatne rozmowy na forach.









Set Up Freenet - Freenet - Mozilla Firefox

Set Up Freenet - Fre... x

127.0.0.1:8888/wizard/

HTTPS Everywhere jest teraz aktywne. Możesz przełączyć dla poszczególnych stron, klikając ikonę w pasku adresu. FAQ...

## Set Up Freenet

Connect to any Freenet user: (low security)	Connect only to friends: (high security)	Detailed settings: (custom)
<p>If you live in a relatively free country where running Freenet is legal, you can choose this option. It is much safer than traditional P2P software like BitTorrent or Gnutella, but an attacker with moderate resources may be able to trace your activity on Freenet back to you. If you have friends who also run Freenet, you can improve security by adding them as Friends, then connecting only to them.</p> <p>Choose low security</p>	<p>If you know several people you want to connect to, this setting allows you to create your own Freenet darknet for vastly improved security. If you only have a few people it may not be very useful, but if some of them know others, or have low security set, you can have a very large network.</p> <p>Choose high security</p>	<p>If you want more fine-grained control, this option lets you set up Freenet according to your own privacy needs. It will take a bit longer than the other two options.</p> <p>Choose custom security</p>

Polski

50 / 67

Browser Security Advisory - Freenet - Mozilla Firefox

Browser Security Ad... x

127.0.0.1:8888/wizard/?step=BROWSER\_WARNING&incognito: Search

## Browser Security Advisory

You could use privacy mode or a separate browser to improve security

You are using a reasonably recent browser which should be relatively safe. However it will record what you browse on Freenet in its history. You could use privacy/incognito mode to prevent this. It can also be cleared manually but this will usually leave some traces.

Most web browsers, apart from Microsoft Internet Explorer, will work adequately with Freenet, for example Firefox, Opera, Safari, Chrome, and Lynx are known to work. You should install one of these, then copy the current URL from the location bar, and open it in your new browser.

Back Next

Datastore Size - Freenet - Mozilla Firefox

Datastore Size - Fre... x

127.0.0.1:8888/wizard/?step=DATASTORE\_SIZE&preset=LOW& Search

## Datastore Size

### Datastore size

Please select a size for your datastore. Recommended values lie between 1GiB and 20GiB. A smaller datastore can result in problems downloading files, a larger datastore is beneficial to the network but might slow down your computer due to high filesystem load, especially in the first few hours after installation. The datastore acts like a cache; storing data for the network will help you to get better throughput when requesting popular files. The more space you can afford the better it is for the community and the faster your node and especially your downloads will go.

256 MiB ▾

Back Next

Bandwidth Limits - Freenet - Mozilla Firefox

Bandwidth Limits - F...

127.0.0.1:8888/wizard/?step=BANDWIDTH&opennet=true&pre

## Bandwidth Limits

### Bandwidth Limits

Does your internet connection have a monthly data limit?

Firefox automatically sends some data to Mozilla so that we can improve your experience

Choose What To Share

53 / 67

Bandwidth Limits - Freenet - Mozilla Firefox

Bandwidth Limits - F... x

127.0.0.1:8888/wizard/?step=BANDWIDTH\_RATE&opennet=tru

Search

## Bandwidth Limits

### Transfer Rate Limit

How fast is your Internet connection? Freenet should use no more than half of it. You can change this setting later on the **Konfiguracja rdzenia** page. Note that 1 megabit per second (1 Mbps) = 125 kilobytes per second (125 KB/s).

Connection type	Download limit	Upload limit	Select
Detected speed (use half)	5.96 MiB/s (= 47Mbps)	5.96 MiB/s	<input checked="" type="radio"/> (Recommended)
4 megabits	256 KiB/s (= 2Mbps)	16.0 KiB/s	<input type="radio"/>
6 megabits (average ADSL1)	384 KiB/s (= 3Mbps)	16.0 KiB/s	<input type="radio"/>
8 megabits (fast ADSL1)	512 KiB/s (= 4Mbps)	32.0 KiB/s	<input type="radio"/>
12 megabits (slow ADSL2)	768 KiB/s (= 6Mbps)	64.0 KiB/s	<input type="radio"/>
20 megabits (fast ADSL2, fast cable)	1.25 MiB/s (= 10Mbps)	64.0 KiB/s	<input type="radio"/>
VDSL (20/5)	1.25 MiB/s (= 10Mbps)	320 KiB/s	<input type="radio"/>
100 megabits (fibre)	2.0 MiB/s (= 16Mbps)	2.0 MiB/s	<input type="radio"/>
Enter a custom bandwidth limit	<input type="text"/>	<input type="text"/>	

Freenet - Freenet - Mozilla Firefox

Freenet - Freenet x

127.0.0.1:8888

Search

Freenet

[Przeglądanie](#) [Filesharing](#) [Przyjaciele](#) [Rozmowy](#) [Status](#) [Konfiguracja](#) [KeyUtils](#)

**Please free up some disk space!**

There is not enough free space available in /home/mofa/Freenet/temp. Browsing Freenet, starting new downloads etc will not work reliably until you free up some disk space. Please delete or move some files. Alternatively you can change the disk space limit on the Configuration page ("Minimum free disk space" etc under Core Settings in advanced mode).

**Moje zakładki** [\[Edit\]](#)

**Katalog stron Freenetu:**

- [Enzo's Index](#) (Links to most Freenet web sites, sorted by category to make it easier to find what you want)
- [The Filtered Index](#) (An index without pornographic or shocking sites)
- [Nerdageddon](#) (An index with the most offensive content removed)

**Freenet related documentation**

- [Freenetproject Website Mirror](#) (The official Freenet Project website)
- [Freenet Social Networking Guide](#) (Przewodnik po anonimowej komunikacji we Freenece)
- [Publish!](#) (Jak opublikować stronę web we Freenece)
- [Freesite HOWTO](#) (Jeszcze jeden przewodnik opisujący tworzenie stron dla Freenetu)
- [Freenet Privacy and Software Site](#) (Best Practices for Freenet Users)
- [Freenet Documentation Wiki](#) (Wikipedia Freenetu)

The Unofficial FMS Guide (The Unofficial Guide to FMS (Forum over Freenet))

**Komunikaty: 1 Warnings, 2 Minor** [Polski](#) [Przełącz w tryb dla zaawansowanych](#) Poziomy bezpieczeństwa: **NISKIE NISKIE**

13 / 142

55 / 67

Freenet - Freenet - Mozilla Firefox

Freenet - Freenet x

127.0.0.1:8888

Search

**Katalog stron Freenetu:**

- [Enzo's Index](#) (Links to most Freenet web sites, sorted by category to make it easier to find what you want)
- [The Filtered Index](#) (An index without pornographic or shocking sites)
- [Nerdageddon](#) (An index with the most offensive content removed)

**Freenet related documentation**

- [Freenetproject Website Mirror](#) (The official Freenet Project website)
- [Freenet Social Networking Guide](#) (Przewodnik po anonimowej komunikacji we Freenecie)
- [Publish!](#) (Jak opublikować stronę web we Freenecie)
- [Freesite HOWTO](#) (Jeszcze jeden przewodnik opisujący tworzenie stron dla Freenetu)
- [Freenet Privacy and Software Site](#) (Best Practices for Freenet Users)
- [Freenet Documentation Wiki](#) (Wikipedia Freenetu)
- [The Unofficial FMS Guide](#) (The Unofficial Guide to FMS (Forums over Freenet))

**Programy i dokumentacja spokrewnione z Freenetem:**

- [Freenet Message System](#) (Message boards over Freenet)
- [Freemail](#) (Poczta email poprzez Freenet)
- [Sone](#) (Społeczny chat przez Freenet)
- [iSite](#) (Podstawowe narzędzie do umieszczania stron web we Freenecie)

**Blogi zespołu Freenetu:**

- [Toad](#) (Osobisty blog szefa programistów Freenetu)
- [Bombe](#) (Osobisty blog twórcy Sone)
- [xor](#) (Osobisty blog twórcy Freetalk)
- [operhiem1](#) (Freenet release manager's blog)

Komunikaty: **1 Warnings, 2 Minor**    Polski    Przełącz w tryb dla zaawansowanych    Poziomy bezpieczeństwa: **NISKIE NISKIE**

13 / 142


56 / 67




Pakiet oprogramowania który tworzy bezpieczne połączenia „punkt-punkt” inaczej zwane tunelami. OpenVPN oferuje kilka metod uwierzytelniania:

- Klucze
- Certyfikaty
- Nazwa użytkownika i hasło

# Open VPN



# Open VPN



# Open VPN

Terminal


File Edit View Search Terminal Help


Connected to mirror!  
Vpn server list is compiled, with 97 servers  
100%  
sort list by ping value ...  
Here are the best 15 servers for you:

No.	ping	IP	PingGoogle	Speed	Region	Type
1.	33	109.109.239.106	2	11Mbps	UnitedKingdom	tcp
2.	39	37.201.243.158	23	12Mbps	Austria	udp
3.	56	78.83.223.9	46	9Mbps	Bulgaria	udp
4.	64	92.177.82.76	10	9Mbps	Spain	udp
5.	81	78.228.203.126	78	2Mbps	France	tcp
6.	107	212.251.54.14	65	7Mbps	Greece	tcp
7.	153	73.211.179.51	31	14Mbps	UnitedStates	tcp
8.	182	88.125.110.53	-	0Mbps	France	tcp
9.	199	103.217.110.145	58	9Mbps	Bangladesh	tcp
10.	202	41.138.189.142	302	0Mbps	Nigeria	tcp
11.	215	189.176.108.78	65	1Mbps	Mexico	tcp
12.	265	27.116.63.94	39	1Mbps	Cambodia	tcp
13.	284	60.68.187.97	304	14Mbps	Japan	tcp
14.	288	133.205.105.242	16	33Mbps	Japan	tcp
15.	290	201.215.183.239	26	0Mbps	Chile	tcp

Please select a server:

Aplikacja mobilna umożliwiająca obejście cenzury w internecie, zabezpiecza użytkownika przed kradzieżą plików cookies przez ogólnodostępne sieci WiFi.





The screenshot shows a terminal window titled "PsiPhon | Beyond Borders - Mozilla Firefox" with the following output:

```
Terminal
File Edit View Search Terminal Help
Gtk-Message: GtkDialog mapped without a transient parent. This is discouraged.
Updating the server list...
--2016-10-10 19:25:40-- https://psiphon3.com/server_list
Resolving psiphon3.com (psiphon3.com)... 54.192.150.88, 54.192.150.241, 54.192.150.183, ...
Connecting to psiphon3.com (psiphon3.com)|54.192.150.88|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 640941 (626K) [application/octet-stream]
Saving to: 'server_list'

server_list      100%[=====] 625,92K  105KB/s  in 6,4s

2016-10-10 19:25:50 (98,5 KB/s) I 'server_list' saved [640941/640941]

DEBUG: OSSH connection: Server does not support OSSH
Trying next server...

Your SOCKS proxy is now running at 127.0.0.1:1080

Press Ctrl-C to terminate.
1476127560681  addons.xpi      WARN  Exception running bootstrap method install on loop@mozilla.org: [Exception... "Component returned failure code: 0x8000ffff (NS_ERROR_UNEXPECTED) [nsIPrefBranch.getBoolPref]" nsresult: "0x8000ffff (NS_ERROR_UNEXPECTED)" location: "JS frame :: resource://gre/modules/addons/XPIPro
```

VPN, SSH, and HTTP proxy

technologies to keep users connected at all times with simple user-friendly mobile software.

The software is built on technology that connects people as a response to the

PsiPhon | Beyond Borders - Mozilla Firefox

PsiPhon | Beyond Bo... x Messenger for What... x

https://psiphon.ca/index.html

# PSIPHON


## BEYOND BORDERS

The Internet is not World Wide if someone somewhere is denied access.  
Everyone has the right to freedom of opinion and expression.

[DOWNLOAD](#) [WATCH VIDEO](#)



Obsługuje takie komunikatory jak Jabber (XMPP), IRC, Google Talk, Facebook Chat, Twitter, Yahoo i wiele innych. Wymiana informacji odbywa się za pomocą sieci Tor „poza zapisem”.



# Tor messenger

The screenshot shows a Linux desktop environment with a dark, starry background. The top panel displays system icons and the date/time: "pon paź 10 2016 18:16:01". A vertical dock on the left contains various application icons. The main window is titled "Tor Network Settings" and contains the following text:

Before you connect to the Tor network, you need to provide information about this computer's Internet connection.

Which of the following best describes your situation?

I would like to connect to the Tor network. This will work in most situations.

This computer's Internet connection is slow. I need to configure bridge relays.

For assistance, contact [help@rt.torproject.org](mailto:help@rt.torproject.org)

Overlaid on top of the "Tor Network Settings" window is a smaller dialog box titled "Tor Status". It contains the following text:

**Connecting to the Tor network**

Loading authority certificates

Please wait while we establish a connection to the Tor network.